



**GOODYEAR® UNICIRCLE®
PRODUCT & APPLICATION GUIDE**





REPEAT PERFORMANCE

EVEN MORE MILES TO REMOVAL THAN PRECURE RETREADS*

A FRACTION OF THE COST OF ORIGINAL TIRES

SAME TREAD AND TIRE PERFORMANCE

ELIMINATES POTENTIAL FOR SPLICE-RELATED BREAKDOWNS

INDIVIDUALLY CURED FOR PRECISE FITTING

WEARS MORE EVENLY THAN PRECURE RETREADS*


NATIONWIDE LIMITED WARRANTY



SPLICELESS TECHNOLOGY

Goodyear's patented UniCircle® retread is a continuous ring with a seamless construction that precisely matches the shape of the casing. Because there is no cutting or splicing, UniCircle retread tires are uniform and balanced, helping to extend casing life and tire mileage.

**GOODYEAR® IS THE ONLY TIRE MANUFACTURER
THAT OFFERS SPLICELESS RETREAD TECHNOLOGY.**



EXTENDED LIKE-NEW PERFORMANCE

UniCircle retreads are designed to closely match new Goodyear tires, including tread designs and compounds, to offer the same performance as the originals. That means Fuel Max[®], only if Fuel Max UniCircle treads are used, and DuraSeal[™] tires will continue to offer the same money-saving benefits after retreading.

ONLINE TRACKING WITH GTRACS

See in real time the status of your UniCircle retreads, and view high-level statistics of all your Goodyear retreads.

AVAILABLE AT GOODYEAR NETWORK DEALERS NATIONWIDE

Goodyear's UniCircle retread process and control systems give you confidence with consistent, high-quality retreads backed by a nationwide warranty.

LONG HAUL RETREADS



DRIVE – WIDE BASE



G392^A SSD FUEL MAX



Fuel-Efficient UniCircle[®] Widebase Drive Retread

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
445/50R22.5	15-1/4	385	24

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
445/50R22.5	15-1/2	395	24

TRAILER – WIDE BASE



G394^A SST FUEL MAX



Fuel-Efficient UniCircle Widebase Trailer Retread

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
445/50R22.5	15-1/4	385	12

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
445/50R22.5	15-1/2	395	12

DRIVE



ENDURANCE LHD



A Tough Long Haul Drive Retread That Offers High Miles to Removal

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	26
295/75R22.5	9	230	26

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	9-1/4	235	26
11R22.5	8-1/2	215	26

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	9	230	26
11R24.5	8-1/2	215	26



G362

Tread Design Enhances Traction

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	22
295/75R22.5	9	230	22
11R22.5	8	205	22

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	8-1/2	215	22
11R22.5	9	230	22
11R24.5	8-1/2	215	22

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R24.5	9	230	22

TRAILER



FUEL MAX™ LHT™



Goodyear's Most Fuel-Efficient Trailer Retread

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	11

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-7/8	225	11

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	9-1/4	235	11



G316 AT FUEL MAX™



Helps Reduce Rolling Resistance to Enhance Fuel Economy

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	12
295/75R22.5	9	230	12

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	8-1/2	215	12
11R22.5	9	230	12



G314

Designed for Trailer Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	12
295/75R22.5	9	230	12

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	8-1/2	215	12
11R22.5	9	230	12

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R24.5	8-1/2	215	12

APPLICATION GUIDE

REGIONAL/URBAN RETREADS



ALL-POSITION



G661[®] HSA[™]

Enhanced Toughness for High-Scrub Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	20
295/75R22.5	9	230	20

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	8-1/2	215	20
11R24.5	8-1/2	215	20



G647^A RSS

Superb Choice for High-Scrub Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
225/70R19.5	7-1/2	190	16

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
245/70R19.5	8-1/2	215	16



ENDURANCE RSA 16"

More Miles to Removal and Toughness for Regional and Urban Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
LT245/75R16	8-1/4	210	16

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
LT225/75R16	7-1/2	190	16

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
LT215/75R16	7-1/2	190	16

DRIVE



G182 RSD[®]

All-Around Retread for Regional Service

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	28
295/75R22.5	9	230	28

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	8-1/2	215	28
11R22.5	9	230	28

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R24.5	8-1/2	215	28



G622^A RSD[®]

For Regional and Local Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
225/70R19.5	7-1/2	190	19
245/70R19.5	8-1/2	215	20
295/75R22.5	8-1/2	215	26

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	9	230	26
11R22.5	8-1/2	215	26
11R22.5	9	230	26

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R24.5	8-1/2	215	26

TRAILER



G619 RST[™]

A Regional Service Trailer Retread That Offers Long Tread Life in Spread-Axle Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
295/75R22.5	8-1/2	215	18
295/75R22.5	9	230	18
11R22.5	8-1/2	215	18

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
11R22.5	9	230	18
11R24.5	8-1/2	215	18
255/70R22.5	8	205	18

SIZE	AVAILABLE WIDTH		TREAD DEPTH
	(IN)	(MM)	(32NDS)
255/70R22.5	8-1/2	215	18

APPLICATION GUIDE

MIXED SERVICE RETREADS



ALL-POSITION



G186™ MSA®

Versatile Tread for Severe Service Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
11R22.5	8	205	16
11R22.5	8-1/2	215	16

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
11R22.5	9	230	16
11R24.5	8	205	16

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
11R24.5	8-1/2	215	16
11R24.5	9	230	16

DRIVE



G282 MSD®

Versatile Tread That Combines Good Regional Performance With Off-Road Capabilities

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
11R22.5	8-1/2	215	28
11R22.5	9	230	28

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
11R24.5	8-1/2	215	28
11R24.5	9	230	28

WASTE HAUL



G289® WHA®

Outstanding Retread for Waste Haul Applications

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
315/80R22.5	9-7/8	250	26

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
315/80R22.5	10-5/8	270	26

SUPER SINGLE



G278 MSD®

Tough Super Single Retread for Severe Service Conditions

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
445/65R22.5	15-1/2	390	30
425/65R22.5	14-1/2	370	30

SIZE	AVAILABLE WIDTH		TREAD DEPTH (32NDS)
	(IN)	(MM)	
425/65R22.5	13-3/8	340	30

TOTAL SOLUTION



Trusted Products
Innovative Products For
Any Fleet Application



Nationwide Dealer Network
2,300+ Dealers In North America
Ready To Help Your Fleet



Reliable Services
Most Reliable Nationwide
Roadside Service In The Industry*



Fleet Management Tools
Tire And Retread Tracking
And Fleet Dashboard

Find your total solution at goodyeartrucktires.com.

*Fleet research study, Nov. 2015, Lieberman Research Worldwide. 590-fleet sample. Goodyear Dealer network roadside service compared to Michelin, Bridgestone and Continental.

